

深圳扬兴科技有限公司 YangXing Technology Co.,Ltd.of Shenzhen

产品规格书

SPECIFICATION

产	品	名	称	石英晶体谐振器 QUARTZ CRYSTAL UNITS
型			号	HC-49US
料			号	X49SD54412MSD2SC-1
标	称	频	率	5.44120MHZ -20PF- 20 PPM
页			次	共 7 页

批准	审核	拟制
Kevin	Sandy	Andy

确认签章

APPROVAL SIGNATURE

客户		
客户物料号		
机种/型号		
批准	审核	检 验



产品规格书I SPECIFICATION	型号	HC-49US			
I -1 晶振电性能 Electrical Characteristics					
1. 标称频率	5.441200	MHZ			
Nominal Frequency					
2. 振动模式	基 频				
Mode of vibration					
3. 工作温度范围		⊢ <u>70</u> ℃			
Operating Temperature Range					
4. 保存温度范围	$-50^{\circ}\text{C} \sim +105$	$^{\circ}$ C			
Storage Temperature Range					
5. 频率偏差	± 20 ppm N	Max			
Adjustment Tolerance					
6. 温度偏差	\pm 30 ppm N	Max			
Tolerance over the Temperature Ran	ge				
7. 等效电阻	<u>80</u> Ω N	∕Iax. at 25°C			
Equivalent Series Resistance					
8. 静电容	<u>≤7.0</u> pF	Max			
Shunt Capacitance					
9. 绝缘电阻	500M Ω Min.	$/DC100V \pm 15V$			
Insulation resistance					
10. 老化率	± 3 ppm Max/Y				
Aging					
11. 标字					
Marking					
1. VVC	2.	YANGXING Logo			
		_			
5.4412SDF /	∖ 5 <u>.4412</u> S[Operating Temperature Code			
		Production Line			
Fred	quency Code 🛝	PPM Code			
II. 测试条件 Test Condition	PF C	ode			
1.负载电容	20 pF				
Load Capacitance					
2.激励功率	µ W				
Level of Drive					
3.测试仪表 250	B Crystal Impedat	nce Meter			
Equipment					
TEL: 0755-28444777 FAX: 0755-284	44777-812 WEI	B: http://www.yxc.hk page 2			

----- (签字)

样品确认后,请将此页签字回传我公司。



产品规格书I SPECIFICATION	型号	HC-49US
----------------------	----	---------

III. 包装 PACKING

包装方式应符合运输和装卸要求,特殊包装须经双方认可。

Packing must prevent damage during transportation and handing. Specific method will be settled by mutual agreement.

Ⅳ. 对环境影响 INFLUENCE TO ENVIRONMENT

本产品在生产过程中不使用 ODS I, 对臭氧层无破坏。

This product doesn't use the class I ODS at any of production process.

V. 生产厂家 MANUFACTURE

公司名称:深圳扬兴科技有限公司

YangXing Technology Co.,Ltd.of Shenzhen

VI.其它 OTHERS

1、如果您对本公司产品规格书有疑问或书中未列出,请与我方联系,协商解决 及改进。

If you have some doubt or unknowing about this specification, Please contact us for settlement or development.

2. 我们按照产品规格书要求保证晶体品质, 若客户要求具体数据, 我们可提供。 We guarantee that quartz crystal unit satisfies this specification, If you need the data, we will provide it.

3.变更与联络(MODIFY AND CONTACT)

本产品在设计、工艺、材料、生产厂所、关键设备、操作人员等影响产品质量的因素有变更时,应事先提供更改后的产品并经过质量认可后,方可大批量供货。

When the quality is changed due to the changes of the design, technology, material, manufacture place, main equipment and workers, we will first supply the modified products and obtain approval from you, then start to supply mass production.

4.售后服务 (AFTER SALE SERVICE)

若在生产过程中遇到不良品,本公司负责调换,并及时提交不良品的分析及 改进措施报告经认可。

If the defection product was found in the production process, we will exchange and provide the improving measures in time.



产品规格书/SPECIFICATION 型号 HC-49US

HC-49US 晶体外型尺寸 Dimensions UNIT: mm

HC-49US 晶体外型尺寸 (mm)

包装 PACKING

每 200 只晶体放入塑料袋,每 2000 只晶体放入一包装盒内。同时,包装形式也依赖于具体数量而更改。

Deposit 200 pieces of the quartz crystal units in a polyethylene bag, and pack enough bags in a packing case to make a 2,000 pieces package. The packing format may be subject to change by quantity.




产品规格书/SPECIFICATION

型号

HC-49US

HC-49US 石英晶体谐振器内部结构图:

Construction fig of quartz resonator:



序号	部件名称	材料	数量	表面处理方法
NO	COMPONENT	MATERIALS	OTY	SURFACE
1	晶体白片	Y/Z 棒	1	抛光/腐蚀
	CRYSTAL BLANK	Y/Z BAR		POLISH/ETCHED
2	支 架	铜 合 金	2	
	SUPPORTER	COPPER		
3	基座	碳钢镍合金	1	镀镍
	BASE	Fe-NI		NI PLATED
4	外 壳	镍铜合金	1	
	CAN	NICKEL-COPPER		
(5)	引 线	可 伐 丝	2	镀镍+浸锡
	LEAD	KOVAR		NI PLATED+SOLDER DIPPED
6	玻璃子	可伐玻璃子	2	
	GLASS	KOVER-GLASS		
7	导 电 胶	银胶树脂	2	
	ADHESIVE GENT	Ag-URETHANE		



产品规格	产品规格书/ SPECIFICATION 型号 HC-				
Ⅷ. 可靠性i 1. 机械 ¹					
试 验 项 目		ì	试 验 方 法		规格 No.
Test Item			Test Method		Spec. No
1-1	耐冲击 shock	从 75 厘米高,3 次,自 Orient the sample in any height of 75 cm onto a hard	y attitude and drop	it three times from a	A
1-2	耐振性 Vibration	振动频率 10~55Hz,振 Z 轴方向各 2 小时,总计 Subject the sample to 1.5-r Hz and amplitudes of 1.50 and Z directions, or 6 hour	- 6 小时。 minute cycles of fre mm for two hours	quencies of 10 to 55	A
1-3 Tens	l出端强度 ile strength terminal	每端子加 1.5Kg 负荷, Apply a 1.5Kg tensile lo 30±5 seconds.		and sustain it for	A. C
1-4 Bendi	线弯曲度 ing strength terminal	每端子加 0.5Kg 负荷并 曲成 90°。 Apply a 0.5 Kg load to c main unit for 90°, restore opposite direction for 90°	one of the terminals	, and after tilting the de. Then, tilt it in an	A. C
1-5 So	可焊性 older ability	槽焊法,浸锡温度 260时间 5±0.5 秒,浸锡高度 Dip terminals in RMA temperature. Dip terminals seconds. The solder shall lemm at their base.	0±5℃时间 5±0.5 隻 2mm。 flux for5±0.5 se s in a 260±5℃ so	秒,端子浸助焊剂 conds. Under room lder bath for 5±0.5	D
1-6 Re	耐焊接热 esistance to lering Heat	槽焊法,温度 260±3 2mm 以上。 Dip terminals in a 260± The solder shall leave an their base.	±5°C solder bath f	for 10 ± 0.5 seconds.	A
1-7 Le	气密性 eaking Test	用氦质谱仪测试或加压 Take measurements with insulation resistance under	n a helium leakage o	detector, or measure	E



产品规格书/ SPECIFICATION 型号 HC-49US

Ⅷ. 可靠性试项目 Reliability Test Items

2. 环境测试 Environmental Tests

试 验 项 目		试 验 方 法	规格 No.
Test	Item	Test Method	Spec. No.
2-1	耐寒性	在-40℃环境中非工作状态放置 500 小时	A
2-1	Cold	Expose the sample in an inoperative mode to 500 hours in a -40 $^{\circ}\text{C}$	A
2-2	耐性	在+85℃环境中非工作状态放置 500 小时	В
2-2	Dry heat	Expose the sample in an inoperative mode to 500 hours in a 85 $^{\circ}\mathrm{C}$	D
	耐湿性 Damp heat	在温度+65℃,湿度 95%环境中非工作状态放置 500 小时	
2-3		Expose the sample in an inoperative mode to 500 hours in a 65	В
		$^{\circ}\text{C}$, and 95%RH	
	热冲击	在-40℃保持 30 分钟,100℃保持 30 分钟,循环 5 次。	
2-4	Thermal	Subject the sample to 5 temperature variation cycles at -40 $^{\circ}\mathrm{C}^{}$ for	A
	shock	30 minutes and $+100^{\circ}$ C for the next 30 minutes in each cycles.	

SPECIFICATIONS 规格

规格 No.	规 格		
Spec No.	Specification		
	试验前后,频率变化在±5ppm以内,等效电阻变化在要求范围内。		
A	Any variation between the pre- and post-test frequencies shall remain within ± 5 ppm. The		
	post-test equivalent series resistance shall remain within its specified tolerance range.		
	试验前后,频率变化在±10ppm 以内,等效电阻变化在要求范围内。		
В	Any variation between the pre- and post-test frequencies shall remain within ± 10 ppm.		
	The post-test equivalent series resistance shall remain within its specified tolerance range.		
	试验前后,外观未见明显损伤,气密性末破坏。		
C	After each test, no visible damage shall be manifested, nor shall the hermetic seal break		
	down.		
	上锡量至少在 90%以上.		
D	At least 90% of each dipped area shall be covered by fresh solder		
Е	1×10^{-2} μ Pa. m ³ /s Max or IR≥500M Ω		

※测试在室温 25±2℃环境中进行,每次试验后,样品必须在 25±2℃环境中恢复 2 小时以上。

%Measurements shall be taken at $25\pm2^{\circ}$ C,and after each test, the sample be exposed to two hours at $25\pm2^{\circ}$ C