

CRYSTAL SEPECIFICATION

Customer	:	天 河星
Customer P/N	:	
Part Name	:	49S 10.7386M 18pF 20PPM
Product Description	:	49S 10.738600MHZ 18pF 20PPM
Issue Date	:	2015.05.29

CUSTOMER'S APPROVAL

APPROVAL	CHECKED	CONFORM				

(PLEASE RETURN A COPY WITH APPOVAL

Hubei TKD Electronic Technology Co.,LTD 湖北泰晶电子科技股份有限公司

	APPROVED	DESIGNER
	黄祥秒	代伟
SALE: TEL : 0722-3309660 FAX : 0722-3309768 QCD: TEL : 0722-3308231 FAX : 0722-3309768 FAE: TEL : 0755-27328651 FAX : 0755-27328001		



REV.	Description of Revision History	Date	Designer	Checked By
A				
A	New revision	<u>2015-05-29</u>	<u>DaiWei</u>	<u>Huangx m</u>



CRYSTAL SEPECIFICATION

- 1. Description:
- 2. Nominal Frequency: 10.738600MHz
- 3. Oscillation Mode: Fundamental
- 4. Cutting Mode:
- 5. Measurement Instrument: S&A 250B(Measured FL)

Quartz Crystal

AT cut

6. Electrical Characteristics:

[1]Operation Conditions:

Item	Symbol	MIN.	TYP.	MAX.	Unit	Condition
Operating Temperature Range	Topt	-20		75	°C	
Storage Temperature Range	Tstg	-40		85	°C	
Load Capacitance	CL		18		pF	
Drive Level	DL	0.1		100	uW	

[2]Frequency Stability:

Item	Symbol	MIN.	TYP.	MAX.	Unit	Condition
Tolerance	dF/Fo	-20		20	ppm	Refer to Center Frequency@25±3°C
Stability Over Temperature	dF/F25	-30		30	ppm	Refer to Operating Temperature
Aging	dF/F25	-5		5	ppm	Per Year

dF/Fo:Frequency Deviation Refer to Center Frequency

dF/F25:Frequency Deviation Refer to 25 $^\circ\! \mathbb C$ Frequency

[3]Electrical Performance:

Item	Symbol	MIN.	TYP.	MAX.	Unit	Condition
Equivalent Series Resistance	ESR			70	Ω	@Series
Shunt Capacitance	C0			5	pF	
Insulation Resistance	IR	500			MΩ	@DC 100 Volt

7. Marking:Laser

10.7386 :Nominal Frequency

TKD10.7386







9. Reliability	y Specification			
Test Item	Condition of test Performa	nce		
rest item	Requirem	ents		
Tensile Strength	The unit's lead wire should withstand a tensile force applied to the There should			
Termination	termination in the direction of its draw-out axis of up to 1000g abnormalities de	etected on		
	maintained as is for 10±2s the unit			
Solder ability	The lead is immersed in a 235±5°C solder bath within 2±0.5 A new uniform	A new uniform coating of		
	seconds. solder shall c	over min		
	mun 95% of th	e surface		
	being immersed	•		
Vibration	Endurance condition by a frequency sweep shall be made. The (1). Frequency			
	entirefrequency rangefrom 10HZ to 50HZ and return toChange:±5ppm			
	10HZ,shall be transverseb in 1min. Amplitude(total(2).Resistance:	15%		
	excursion):1.5mm this motion shall be applied for a period of 2h			
	each of 3 mutually perpendicular axes(a total of 6h)			
Drop	Form 70cm height 3 times on 3cm hard wooden floor(1). Frequency			
	Change:±5ppm			
	(2).Resistance:	15%		
Shock	Peak acceleration:981m/s ² duration of the pulse :6ms three (1).Frequency			
	successive shocks shall be applied in both direction of 3 mutually Change:±5ppm	• /		
	perpendicular axes(a total of 18 shocks) (2).Resistance:	:15%		
Damp heat		(1).Frequency		
	humidity of 90%to95% for 48h, then it shall be subjected to Change:±5ppm	4 5 0 /		
	standard atmospheric conditions for 1 \sim 2h after which (2).Resistance:	:15%		
Drybeet	measurement shall be made.			
Dry heat		(1).Frequency		
		Change:±5ppm (2).Resistance:±15%		
Cold	The unit shall be stored at a temperature of $40^{\circ}C \pm 5^{\circ}C$ for 48h, then (1). Frequency	1370		
Colu	it shall be subjected to standard atmospheric conditions for $1 \sim 2h$ Change:±5ppm			
	after which measurement shall be made. (2).Resistance:	15%		
Aging	The unit shall be stored at a temperature of $85^{\circ}C \pm 5^{\circ}C$ for 7d then it Refer to	verdict		
, ignig	shall be subjected to standard atmospheric conditions for $1 \sim 2h$ specification	Verdiot		
	after which measurement shall be made.			
Temperature	The unit shall be subjected to 5 successive change of temperature Refer to	verdict		
cycling	cycles, each as show in table below, then it shall be subjected to specification			
, ,	standard atmospheric conditions for 1 \sim 2h after which			
	measurement shall be made			
	Temperature Duration			
	1 -40°C±3°C 30min			
	2 Standard atmospheric Within 30s			
	conditions			
	3 100℃±3℃ 30min			
	4 Standard atmospheric Within 30s			
	conditions			



		Per	forman	ice.
Test Item	Condition of test		luireme	
Sealing	The crystal filter unit shall be immersed in a industry alcohol for	Insulation		
	5±0.5 minutes then $25\pm3^{\circ}$ C 1~2 Hr before testing	Resistance>500MΩ		
Resistance to	3	Refer	to	verdict
soldering heat		specificatio		
	PEAK 105 MAX			
	265 TO 2170 2000 1500 40 TO 90 S 60'C's MAX Preheating 2570 25°C to Peak : 360s TIME (Seconds) Total : 420S			
	Reflow soldering cure see the chart. Soldering iron method:			
	Bit temperature: 350 ℃±10 ℃			
	Application time of soldering iron:5s Max			



