

Gas Discharge Tube

B8G1500M Order Code: B8G1500M-01

Version: A2 2014-04-23

2

Features

- Size Design Φ8×6mm
- \blacksquare High Current Handling Capability 10,000A @ 8/20 μ s
- Low Capacitance and Insertion Loss
- Fast Response and Long Service Life
- Reliable to Protect Electrostatic Surge
- Moisture sensitivity level: Level 1

Application information

AC Power

Exterior



Package (Top View)

Schematic Symbol

1



Agency Approvals

Icon	Description
RoHS	Compliance with 2011/65/EU
HF	Compliance with IEC61249-2-21:2003
Ø	Mean lead free
.91	Compliance with UL1449, Certificated E337906

Electrical Parameter

DC Breakdown Voltage ^{1) 2)}	100V/s	1200-1800	V
	At 1kV/μs	for 99 % of measured values ≤ 2700	V
Impulse Spark-over Voltage	At 1kV/μs	Typical values of distribution ≤ 2500	V
Impulse Discharge Current ³	8/20μs ±5times	10	KA
Arc Voltage	At 1A	~15	V
Insulation Resistance	DC=100V	≥1	GΩ
Capacitance at 1 MHz	V _{DC} =0.5V	≤1.5	pF
Weight		~1.62	g
Operating and storage Temperature		-40-90	°C
Marking		Bencent Logo, Voltage and date code	

1) At delivery AQL 0.65 level II GB/T 2828.1-2003

2) In ionized mode

3) Terms and current waveforms in accordance with ITU-T Rec. K. 12; IEC 61643-21



Gas Discharge Tube

B8G1500M Order Code: B8G1500M-01

Version: A2 2014-04-23

Part Numbering System						
B8G XXX M						
(1)	(2)	(3)				
(1)Bencent 2-Electrode DIP Gas Discharge Tube with						
dimension: $\Phi 8.0 \times 6$ (D×L) (mm)						
(2) DC Breakdown	(2) DC Breakdown Voltage, e.g. 600=600V					

(2) DC Breakdown Voltage, e.g.,600=60(3) Surge Rating @8/20 μ s, M=10KA

Product Characteristics

Lead Material	Copper
Body Material	Ceramics Iron-nickel electrode
Terminal Finish	100% Matte-Tin Plated

Environmental Reliability Characteristics

Testing items	Technical standards
High Temperature Storage Test	Temperature: 85°C Time:2H
Low Temperature Storage Test	Temperature: -40℃ Time:2H
Vibration	Frequency: 10-500Hz Amplitude: 0.15mm Time: 45mins
Resistance of soldering heat	Temperature: 260±5℃ Time of dip soldering: 10s, 1time

Note: Up-screen program can be specified by customer's request via contacting Bencent service

Solderability test

Coldenshility	Solder Pot Temperature:	245°C±5°C	
Solderability	Solder Dwell Time:	4-6 seconds	

Product Dimensions





REF	mm	inch
А	62±2	2.441±0.079
В	6±0.2	0.236 ± 0.008
С	$\Phi 8 \pm 0.2$	$\Phi 0.315 \pm 0.008$
D	Φ1.0±0.06	$\Phi 0.039 \pm 0.0024$

2/3 www.bencent.com.cn

Specifications are subject to change without notice. Customers should verify actual device performance in their specific applications



B8G1500M Order Code: B8G1500M-01

Version: A2 2014-04-23

Gas Discharge Tube

Wave Soldering profile

Wave Soldering Condition		Pb-Free assembly	
Dree	Temperature Min	100°C	
Pre Heat	Temperature Max	150°C	
Heat	Time (min to max)	60 – 180 secs	
Solder Pot Temperature		280°C Max	
Solder Dwell Time		2-5 seconds	



Package Reel Information



REF	mm inch	
W	65±3	2.559 ± 0.118
Р	10 ± 1 0.394 ± 0.039	
А	$\Phi 340 \pm 2$ $\Phi 13.386 \pm 0.079$	
В	Φ83±2 Φ3.268±0.079	
С	73±3 2.874±0.118	

OUTLINE	REEL	PER CARTON	CA	ARTON SIZE(1	nm)
(PCS)	(PCS)	L	W	Н	
TAPING	700	4200	480	350	360