




GENERAL TOLERANCE

DIM.RANGE	0.5 - 3	>3-6	>6-30	>30-120	>120-400
TOLERANCE	±0.1	±0.1	±0.2	±0.3	±0.5

CUSTOMER DRAWING

REVISION			
ZONE	REV.	DESCRIPTION	DATE
	PA1	INITIAL RELEASE	2017/1/19



CONTACT NUMBER	CONTACT BODY PLATING SPEC
10-738774-201	TIN PLATING OVER NICKEL
10-738774-202	NICKEL PLATING
10-738774-203	GOLD FLASH OVER NICKEL
10-738774-204	GOLD FLASH OVER NICKEL, THEN WITHIN THE RANGE OF HEAD PLAINING 10u" GOLD
10-738774-205	GOLD FLASH OVER NICKEL, THEN WITHIN THE RANGE OF HEAD PLAINING 30u" GOLD

1. THE REFERENCED PRODUCT IS IN COMPLIANCE WITH THE MAXIMUM CONCENTRATION VALUES (MCVS) AS SET BY ROHS 2.0 DIRECTIVE 2011/65/EU AND ANNEX II AMENDMENT DIRECTIVE (EU)2015/863.

NOTES:

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM THE AMPHENOL CORP.

UNLESS OTHERWISE SPECIFIED		APPROVALS		DATE
LINEAR DIMENSIONS ARE IN: MILLIMETERS		PREPARED BY:	HANNAN LIU	19-Jan-17
TOLERANCES: ANGLES= ±2° DEFAULT LINEAR TOLERANCES SEE TABLE		ENGINEER IN CHANGE:	HANNAH LIU	
DIM. & TOL. PER ASME Y14.5M-1994; DRM PER MIL-DTL-31000; OTHER AMPHENOL STANDARDS: 9-3800		DESIGN MANAGER:	RAN XIAO	
LEGENDS: =FLAG NOTE CALL OUT REFERENCE		PRODUCT GROUP:	C&3	
THIRD ANGLE PROJECTION		MATERIAL SPEC	PROCESS SPEC	
		N/A	N/A	

AMPHENOL INDUSTRIAL OPERATIONS			
Amphenol Technology(Zhuhai)Co.,Ltd No.63, Xingnan Road, Sanzao Town, Jinwan, Zhuhai, PRC			
PIN ASSEMBLY, AWG 20-22 SIZE 20			
SIZE	CAGE CODE	DOCUMENT NUMBER	REV
C	77820	10-738774-20()	PA1
SCALE: 5:1		REF:	SHEET 1 OF 1

10-738774-20() DOCUMENT NO. SHEET 1 OF 1 REV. PA1

C

B

A

D

C

REV. PA1

SHEET 1 OF 1

10-738774-20() DOCUMENT NO.

U

A